

# LV-WX300USTi

## Compact and portable ultra short throw WXGA projector with interactive functions

Compact and portable the ultra-short throw LV-300USTi features native WXGA resolution and interactive functions making it ideal for projecting large, bright, clear images in small meeting rooms and classrooms.



- Compact and portable ultra-short throw projector weighing only 5 kg
- Increase audience involvement with interactive functions for up to 4 IR pens or a finger using the additional finger touch module
- Effortlessly project bright, clear 100" images from just 445 mm away
- DLP panel with native WXGA resolution (1280 x 800 pixels) and 16:10 aspect ratio
- Enjoy a vivid 3000 lumens brightness and 2300:1 contrast ratio
- +/-40° Vertical Keystone Correction
- Up to 8000h lamp life and only 29dBa in Eco mode
- 6 Axis colour adjustment with advanced screen colour tuning
- Built-in 2 x 10W speakers
- 2 x HDMI ports and RJ-45 network port

### Product Range



LV-WX300USTi



LV-WX300UST



LV-WX300

### LV-WX300USTi

LV-WX300UST

LV-WX300

LV-X300

LV-S300

LV-WX300ST

LV-X300ST



BECAUSE CLARITY MATTERS

## Technical Specifications

<b>PANEL</b>		<b>PORTS AND CONNECTORS</b>	
Type	DLPTM chip	Digital RGB / Analogue RGB Input 1	HDMI™ V1.3 x 2 (with Deep Colour)
Size and Number	0.65" diagonal, Single chip	Analogue RGB Input 1	Mini D-Sub 15-pin (Component Video via optional cable / SCART-RGB via optional cable)
Aspect Ratio	16:10	Analogue RGB Input 2	Mini D-Sub 15-pin (shared with RGB output)
Native Resolution	1280 x 800 (WXGA), 1024000 pixels	Analogue RGB Output	Mini D-Sub 15-pin (shared with RGB input 2)
<b>OPTICS</b>		S-Video Input	Mini DIN 4-pin
Lamp Type	230 W	Composite Video Input	Mini DIN 4-pin
Lens F Number and Focal Length	F2.5; f=5.1 mm	Audio Input 1	3.5 mm stereo mini-jack (input for RGB 1)
Zoom Magnification and Control	1.0x Fixed	Audio Input 2	RCA (L/R) input for video
Focus Control	Manual	Audio Output	3.5 mm stereo mini-jack (variable level)
<b>IMAGE AND AUDIO</b>		USB Port	Type B & USB Mini B
Brightness	3000 lumens (2500 Eco Mode)	Service Port / Projector Control	Mini D-Sub 9-pin (RS232c)
Brightness Uniformity	75 %	Network Port	RJ-45
Contrast Ratio	2300:1	Interactive functions	USB Mini B
Projection Distance Coverage	28.2 cm – 44.5 cm (28.2 cm for 80 inch image)	<b>MECHANISMS</b>	
Screen Size	80" – 100" (1.29 m x 0.81 m – 21.5 x 1.35 m)	Front Elevation Mechanism	1 x rotary foot (fine adjustment)
Projection Ratio	0.35:1	Rear Elevation Mechanism	2 x rotary feet
Keystone Correction Range	Vertical : Manual +/-40°	<b>RATINGS</b>	
Digital RGB Compatibility	UXGA / SXGA+ / WXGA+ / FWXGA / WXGA / SXGA / XGA / SVGA / VGA	Dimensions (W x H x D)	287.7 mm x 186 mm x 374.5 mm (including protrusions)
Analogue RGB Compatibility	UXGA / SXGA+ / WXGA / SXGA / XGA / SVGA / VGA / Mac	Weight	5 kg
Digital Video Scan Systems	1080p / 1080i / 720p / 576p / 480p / 480i	Power Source	100-120 / 200-240 V AC, 50/60Hz
Component Video Scan Systems	1080p / 1080i / 720p / 576p / 480p / 480i	Power Consumption	Modes – Normal : 310W / Eco : 260W Standby: (LAN on/off) 6W / 0.5W
Video / S-Video Colour Systems	PAL B/G/H/I, / NTSC / NTSC4.43 / SECAM	Noise Level	Modes – Normal : 33dBA / Eco : 29dBA
Display Modes	Presentation, Standard, sRGB, Movie, User 1 & 2	Operating Environment	0°C to +40°C
Image Enhancement	10-bit Colour Reproduction (1.07 billion colours)	Storage Environment	-10°C to +60°C
Built-in Speaker	10.0 W x 2 RMS	Warranty	3 years
All data is based on Canon standard testing methods except where indicated Subject to change without notice.			

# LV-WX300USTi

## Compact and portable ultra-short throw WXGA projector

Compact and portable the ultra-short throw LV-300USTi features native WXGA resolution and interactive functions making it ideal for projecting large, bright, clear images in small meeting rooms and classrooms.

Sales Start Date: June 2015



#### Product Details:

Product Name	Mercury Code	EAN Code
Multimedia Projector LV-WX300USTi (E)	0647C003AA	4549292040746

#### Optional Accessories:

Product Name	Mercury Code	EAN Code
Remote Controller LV-RC09 (w/Laser pointer)	0742C001AA	4549292044928
Remote Controller LV-RC10 (same as supplied in box)	0748C001AA	4549292044935
Projector Lamp LV-LP41	0740C001AA	4549292046663
Wall Attachment LV-WL02	0747C001AA	4549292044911
Interactive Pen LV-IP01 (2pcs) (same as supplied in box)	0883C001AA	4549292048490
Finger touch module LV-FM01	0884C001AA	4549292048506

# LV-WX300USTi

## Compact and portable ultra-short throw WXGA projector

Compact and portable the ultra-short throw LV-300USTi features native WXGA resolution and interactive functions making it ideal for projecting large, bright, clear images in small meeting rooms and classrooms.



### Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Net Weight (kg)	Gross Weight (kg)
Multimedia Projector LV-WX300USTi (E)	0647C003AA	EA	Each	1	374	287	186	Approx. 5.0	NA
		CT	Carton	1	430	510	280	NA	Approx. 5.5

### What's in the box?

- Multimedia Projector LV-WX300USTi
- Remote Control
- AC Mains Power Cable
- Computer (VGA) Cable
- Quick Start Guide (Book)
- User's Manual (Multi, CD-ROM)
- Warranty book (E)
- Precautions for connecting HDMI
- Interactive Application CD
- Interactive Pen
- USB Cable

**Canon** | BECAUSE CLARITY MATTERS

For more information visit  
[canon.com.au/projectors](http://canon.com.au/projectors)  
call **13 13 83** or email  
[specialised.imaging@canon.com.au](mailto:specialised.imaging@canon.com.au)

[canon.co.nz](http://canon.co.nz)  
call **0800 222 666**